

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 1/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

### 1. Product and Company Identification

Company

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

Chemical family: sealant

### 2. Hazards Identification

Emergency overview**WARNING:**

MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.  
Evolution of flammable ethyl alcohol under influence of water or humid air.  
Prolonged overexposure to ethanol has caused human birth defects.  
Avoid contact with the skin, eyes and clothing.  
Wash thoroughly after handling.  
Keep container tightly closed.

State of matter: liquid

Colour: off-white

Odour: mild, alcohol-like

Potential health effects**Primary routes of exposure:**

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

**Acute toxicity:**

Ingestion may cause gastrointestinal disturbances. The product has not been tested. The statement has been derived from the properties of the individual components.

**Irritation / corrosion:**

May cause slight irritation to the eyes. May cause slight irritation to the skin. May cause slight irritation to the respiratory tract. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

**Chronic toxicity:**

**Carcinogenicity:** The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 2/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

**Repeated dose toxicity:** Overexposure may cause liver and kidney toxicity.

**Reproductive toxicity:** The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

**Teratogenicity:** The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

**Genotoxicity:** The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

**Signs and symptoms of overexposure:**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

**Potential environmental effects**

**Aquatic toxicity:**

Based on available Data, the classification criteria are not met. There is a high probability that the product is not acutely harmful to aquatic organisms.

**Bioaccumulation / bioconcentration:**

Discharge into the environment must be avoided.

---

### 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
2943-75-1	>= 30.0 - <= 60.0 %	Triethoxycaprylylsilane
64-17-5	>= 0.1 - <= 1.0 %	Ethanol

---

### 4. First-Aid Measures

**General advice:**

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

**If inhaled:**

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

**If on skin:**

After contact with skin, wash immediately with plenty of water and soap. If irritation develops, seek medical attention.

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**If swallowed:**

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

**Note to physician**

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 3/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

---

### 5. Fire-Fighting Measures

Flash point: No flash point - Measurement made up to the boiling point.

Flammability of Aerosol Products: not applicable, the product does not form flammable aerosoles)

**Suitable extinguishing media:**  
foam, water spray, dry powder, carbon dioxide

**Unsuitable extinguishing media for safety reasons:**  
water jet

**Hazards during fire-fighting:**  
carbon monoxide, carbon dioxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

**Protective equipment for fire-fighting:**  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

---

### 6. Accidental release measures

**Personal precautions:**  
Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Sources of ignition should be kept well clear. Handle in accordance with good building materials hygiene and safety practice.

**Environmental precautions:**  
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

**Cleanup:**  
For small amounts: Pick up with inert absorbent material (e.g. clay or diatomaceous earth). Place absorbed material in the same container as the spilled substance/product for disposal.

---

### 7. Handling and Storage

#### Handling

**General advice:**  
Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

**Protection against fire and explosion:**  
No special precautions necessary.

#### Storage

**General advice:**  
Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Store protected against freezing. Protect from direct sunlight. Keep container tightly closed.

**Temperature tolerance**  
Protect from temperatures below: 5 °C  
The packed product must be protected from temperatures below the indicated one.  
Protect from temperatures below: 40 °F  
The packed product must be protected from temperatures below the indicated one.

---

### 8. Exposure Controls and Personal Protection

#### Components with occupational exposure limits

Ethanol OSHA PEL 1,000 ppm 1,900 mg/m3 ;

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 4/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

ACGIH STEL value 1,000 ppm ;

### Personal protective equipment

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) respirator as necessary.

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### **General safety and hygiene measures:**

In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	mild, alcohol-like	
Colour:	off-white	
pH value:	7 - 8	
:		The product has not been tested.
Boiling point:	208 °F	
Vapour pressure:		The product has not been tested.
Density:	0.99 g/cm <sup>3</sup>	( 20 °C)
Vapour density:		Heavier than air.
Viscosity, dynamic:		not determined
Solubility in water:		( 20 °C) soluble

## 10. Stability and Reactivity

#### **Conditions to avoid:**

See MSDS section 7 - Handling and storage.

#### **Substances to avoid:**

strong acids, strong bases, strong oxidizing agents

#### **Hazardous reactions:**

The product is stable if stored and handled as prescribed/indicated.

#### **Decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated.

#### **Thermal decomposition:**

No decomposition if stored and handled as prescribed/indicated.

#### **Oxidizing properties:**

Based on its structural properties the product is not classified as oxidizing.

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 5/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

---

### 11. Toxicological information

#### Reproductive toxicity

*Information on: Ethanol*

*The potential to impair fertility cannot be excluded when given at high doses.*

*Significant overexposure during pregnancy may cause birth defects.*

-----

#### Development:

*Information on: Ethanol*

*May cause birth defects and damage to reproductive system.*

*A teratogenic potential cannot be excluded.*

-----

#### Other Information:

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

### 12. Ecological Information

#### Degradability / Persistence

##### Biological / Abiological Degradation

Evaluation: Inherently biodegradable.  
The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants.

#### Other adverse effects:

Ecological data are not available. Do not allow to enter soil, waterways or waste water channels.

---

### 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in a licensed facility.

#### Container disposal:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22  
Version: 3.1

Page: 6/7  
(55967565/SDS\_GEN\_US/EN)

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

**Registration status:**

Chemical TSCA, US released / listed

**OSHA hazard category:** Chronic target organ effects reported;

**EPCRA 311/312 (Hazard categories):** Acute;

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	64-19-7; 108-05-4	Acetic acid; vinyl acetate
1000 LBS	75-07-0	acetaldehyde
100 LBS	4170-30-3; 64-17-5	Crotonaldehyde; Ethanol

### State regulations

**CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

---

## 16. Other Information

**NFPA Hazard codes:**

Health : 2 Fire: 0 Reactivity: 0 Special:

**HMIS III rating**

Health: 2 Flammability: 0 Physical hazard: 0

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an on-the-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

**SDS Prepared by:**  
BASF NA Product Regulations

SDS Prepared on: 2013/05/22

# Safety Data Sheet

## MasterPel 240MA also RHEOPEL PLUS MORTAR ADMIX

Revision date : 2013/05/22

Page: 7/7

Version: 3.1

(55967565/SDS\_GEN\_US/EN)

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET